

We are pleased to offer the **OHAUS** range in addition to our large range of microscopy & laboratory equipment.

Please note that the prices listed are suggested Retail Prices.
You will be pleasantly surprised by the special prices that we can offer
(prices on request)



High Performance Balances & Scales

Moisture Analysis



Educational



Industrial



Heavy Duty



Analytical & Precision

This catalogue contains the following types:

- **Analytical & Semi-Micro Balances** (0.1mg and 0.01mg)

- **Precision Balances** (1mg,0.01g,0.1g)

- **Educational Balances** (lower cost, includes some mechanical types)

- **Scales for industry** includes:

a. Bench scales

b. Counting scales

c. Floor scales

d. Indicators

e. Platforms

DISCOVERY SEMI-MICRO & ANALYTICAL BALANCES

The Professional's Choice for Analytical Applications



- Capacities from 110g to 310g, with Readability to 0.1mg or 0.01mg
- Highest Performance in its price class -- 2X better Linearity & Repeatability
- SmartTest™ Software guides users through application use
- Advanced AutoCal™ automatic internal calibration incl. with dual weights for improved accuracy.
- Advanced applications software including Pipette Calibration

ISSCO

Ph.(02) 9743 2588

Fax.(02) 9736 2835

Item No.	Description	Suggested List (\$)
DV114C	110g x 0.1mg	4,250.00
DV214C	210g x 0.1mg	4,800.00
DV314C	310g x 0.1mg	5,900.00
DV215CD	210g x 0.1mg; Automatic Fine Range™ 81g x 0.01mg	5,750.00

DISCOVERY ACCESSORIES

Item No.	Description	Suggested List (\$)
SF42	Compact Impact Printer, 42 Column	n/a
86506746	Ohaus Collect Software	275.00
SW12W	TAL Software WinWedge	495.00
12101511	Paper for SF42 Printer (5 pack)	37.00
12101512	Ribbon for SF42 Printer	24.00
86506571	RS232 Cable, SF42 Printer to Discovery	110.00
86506524	RS232 Cable, PC 25 Pin to Discovery	110.00
86506525	RS232 Cable, PC 9 Pin to Discovery	110.00
9773-79	Plastic Dust Cover for Discovery	100.00
12103498	Replacement In-Use Cover for Discovery	40.00
77401-00	Security Device for Discovery	525.00
77403-00	Density Determination Kit for Discovery	1,495.00
129-00	Forceps, 2.75 in (70 mm)	15.00
129-00	Forceps, 3.5 in (89 mm)	15.00
5076-00	Aluminum Scoop, 1.5 in x 2 in (3.8 cm x 5.1 cm), weight 4g	15.00
5077-00	Gold Scoop, 2.25 in x 3 in (5.7 cm x 7.6 cm), weight 10g	15.00
4596-36	Black Scoop, aluminum 4 in x 3.5 in (10.2 cm x 8.9 cm), weight 24g	15.00
49015-11	100g Weight - Class 1	120.00
49025-11	200g Weight - Class 1	130.00

VOYAGER® PRO NTEP CERTIFIED ANALYTICAL BALANCES

Intelligent Performance—No Matter How Difficult The Task



- Capacities from 62g to 210g, with Readability to 0.1mg
- Adv software incl. Pipette Calibration, Formulation, Statistical QC, Differential Weighing, Density Determination and Statistics
- AutoCal™ automatic internal calibration included in all models
- NTEP Certified for all models

ISSCO

Ph.(02) 9743 2588

Fax.(02) 9736 2835

Item No.	Description	Suggested List (\$)
VP64C	62g x 0.1mg	3,350.00
VP154C	110g x 0.1mg	3,450.00
VP214C	210g x 0.1mg	3,600.00
VP214DC	210/100g x 1.0/0.1mg	3,450.00

VOYAGER® PRO ACCESSORIES

Item No.	Description	Suggested List (\$)
SF42	Compact Impact Printer, 42 Column	n/a
83508746	Ohaus Collect Software	275.00
SW12W	TAL Software WinWedge	495.00
12101511	Paper for SF42 Printer (5 pack)	37.00
12101512	Ribbon for SF42 Printer	24.00
86506570	RS232 Cable, SF42 Printer to Voyager Pro	110.00
AS017-00	RS232 Cable, PC 9 Pin to Voyager Pro	110.00
AS017-02	RS232 Cable, PC 25 Pin to Voyager Pro	110.00
86506642	In-Use Cover for Voyager Pro	55.00
479004-010	Security Device for Voyager Pro up to 8kg	210.00
86506645	Density Determination Kit for Voyager Pro analytical balances (3.1mg)	695.00
129-00	Forceps, 2.75 in (70 mm)	15.00
129-00	Forceps, 3.5 in (89 mm)	15.00
5076-00	Aluminum Scoop, 1.5 in x 2 in (3.8 cm x 5.1 cm), weight 4g	15.00
5077-00	Gold Scoop, 2.25 in x 3 in (5.7 cm x 7.6 cm), weight 10g	15.00
4596-36	Black Scoop, aluminum 4 in x 3.5 in (10.2 cm x 8.9 cm), weight 24g	15.00

EXPLORER® PRO ANALYTICAL BALANCES

The Easiest To Use Balance In The Industry

ISSCO

Ph.(02) 9743 2588

Fax.(02) 9736 2835



- Capacities from 62g to 210g, with Readability to 0.1mg
- Large, brilliant display for easy reading under all light conditions
- Optional AutoCal™ automatic internal calibration for optimized weighing performance
- Feature-rich software for a wide variety of applications

Item No.	Description	Suggested List (\$)
EP94	Explorer Pro 62g x 0.1mg	3,058.00
EP94C	Explorer Pro 62g x 0.1mg with AutoCal	3,368.00
EP114	Explorer Pro 110g x 0.1mg	3,058.00
EP114C	Explorer Pro 110g x 0.1mg with AutoCal	3,358.00
EP214	Explorer Pro 210g x 0.1mg	3,368.00
EP214C	Explorer Pro 210g x 0.1mg with AutoCal	3,458.00
EP214D	Explorer Pro 210g/100g x 10.1mg	2,958.00
EP214DC	Explorer Pro 210g/100g x 10.1mg with AutoCal	3,258.00

EXPLORER® PRO ACCESSORIES

Item No.	Description	Suggested List (\$)
SF42	Compact Impact Printer, 42 Column	n/a
80500746	Ohaus Collect Software	375.00
SW12W	TAL Software WinWedge	485.00
12101511	Paper for SF42 Printer (5 pack)	37.00
12101512	Ribbon for SF42 Printer	24.00
80500570	RS232 Cable, SF42 Printer to Explorer Pro	118.00
AS817-89	RS232 Cable, PC 9 Pin to Explorer Pro	118.00
AS817-82	RS232 Cable, PC 25 Pin to Explorer Pro	118.00
88850845	Density Determination Kit for Explorer Pro analytical balances (0.1mg)	695.00
479004-018	Security Device for Explorer Pro up to 8kg	210.00
479008-019	Modular Display Upgrade Kit for Explorer Pro up to 8kg	990.00
88850842	In-Use Cover for Explorer Pro	55.00
128-80	Forceps, 2.75 in (70 mm)	15.00
129-80	Forceps, 3.5 in (89 mm)	15.00
5076-00	Aluminum Scoop, 1.5 in x 2 in (3.8 cm x 5.1 cm), weight 4g	15.00
5077-00	Gold Scoop, 2.25 in x 3 in (5.7 cm x 7.6 cm), weight 10g	15.00
4596-30	Black Scoop, aluminum 4 in x 3.5 in (10.2 cm x 8.9 cm), weight 24g	15.00

ADVENTURER® PRO ANALYTICAL BALANCES



The Most Complete Balance In Its Class

Capacities from 65g to 260g, with Readability to 0.1mg

- 9 in high frameless draftshield for easy access
- SmartText™ software easily guides users through application use
- QuadraStance™ design for superior stability
- Options include InCal™ internal calibration, USB or second RS232

ISSCO

Ph.(02) 9743 2588

Fax.(02) 9736 2835

Item No.	Description	Suggested List (\$)
AV114-AU	110g x 0.1mg	2,900.00
AV114C-AU	110g x 0.1mg with InCal	3,200.00
AV264-AU	260g x 0.1mg	3,000.00
AV264C-AU	260g x 0.1mg with InCal	3,300.00

With Second RS232

Item No.	Description	Suggested List (\$)
AV114R	110g x 0.1mg with 2nd RS232	3,200.00
AV114CR	110g x 0.1mg with 2nd RS232 and InCal	3,500.00
AV264R	260g x 0.1mg with 2nd RS232	3,400.00
AV264CR	260g x 0.1mg with 2nd RS232 and InCal	3,700.00

With USB

Item No.	Description	Suggested List (\$)
AV114U	110g x 0.1mg with USB	3,200.00
AV114CU	110g x 0.1mg with USB and InCal	3,500.00
AV264U	260g x 0.1mg with USB	3,500.00
AV264CU	260g x 0.1mg with USB and InCal	3,700.00

ADVENTURER™ PRO ACCESSORIES

Item No.	Description	Suggested List (\$)
SF42	Compact Impact Printer, 42 Column	n/a
80500746	Ohaus Collect Software	375.00
SW12W	TAL Software WinWedge	485.00
12101511	Paper for SF42 Printer (5 pack)	37.00
12101512	Ribbon for SF42 Printer	24.00
80500571	RS232 Cable, SF42 Printer to Adventurer Pro	118.00

PIONEER™ ANALYTICAL BALANCES



The Best Balance For Basic Weighing

Capacities of 65g to 210g, with Readability to 0.1mg

- Framed draftshield with sliding top
- Weighing, Counting and Percentage Weighing Modes
- RS232 for data connectivity

ISSCO

Ph.(02) 9743 2588

Fax.(02) 9736 2835

New!

Item No.	Description	Suggested
		List (\$)
PA64	65g x 0.1mg	1,390.00
PA64C	65g x 0.1mg with Incal	1,550.00
PA114	110g x 0.1mg	1,490.00
PA114C	110g x 0.1mg with Incal	1,600.00
PA214	210g x 0.1mg	1,790.00
PA214C	210g x 0.1mg with Incal	1,950.00

PIONEER™ ACCESSORIES

Item No.	Description	Suggested
		List (\$)
SF42	Compact Impact Printer, 42 Column	n/a
80580746	Ohaus Collect Software	275.00
808120W	TAL Software WinWedge	485.00
12181011	Paper for SF42 Printer (3 pack)	37.00
12181012	Ribbon for SF42 Printer	24.00
80586571	RS232 Cable, SF42 Printer to Pioneer	110.00
80586525	RS232 Cable, PC 9 Pin to Pioneer	110.00
80586524	RS232 Cable, PC 25 Pin to Pioneer	110.00
PAD7	Auxiliary Display Kit for Pioneer	90.00
80580045	Density Determination Kit for Pioneer analytical balances (0.1mg)	695.00
76288-01	Security Device for Pioneer	62.00
5076-00	Aluminum Scoop, 1.5 in x 2 in (3.8 cm x 5.1 cm), weight 4g	15.00
5077-00	Gold Scoop, 2.25 in x 3 in (5.7 cm x 7.6 cm), weight 10g	15.00
4590-30	Black Scoop, aluminum 4 in x 3.5 in (10.2 cm x 8.9 cm), weight 24g	15.00

VOYAGER® PRO PRECISION BALANCES

Intelligent Performance—No Matter How Difficult The Task

ISSCO

Ph.(02) 9743 2588

Fax.(02) 9736 2835



Capacities from 210g to 8100g, with Readability from 0.001g to 0.1g

- Advanced software includes Pipette Calibration, Formulation, Statistical QC, Differential Weighing, Density Determination and Statistics
- AutoCal™ automatic internal calibration included in all models
- NTEP Certified for all models

Item No.	Description	Suggested List (\$)
VP213C	210g x 0.001g with Draftshield	2,900.00
VP413C	410g x 0.001g with Draftshield	3,900.00
VP413DC	410g/100g x 0.01g/0.001g with Draftshield	3,950.00
VP613C	610g x 0.001g with Draftshield	3,300.00
VP613C	610g x 0.01g	2,700.00
VP2102C	2100g x 0.01g	2,800.00
VP4102C	4100g x 0.01g	3,600.00
VP4102DC	4100g/1000g x 0.1g/0.01g	2,950.00
VP6102C	6100g x 0.01g	3,150.00
VP4101C	4100g x 0.1g	2,750.00
VP6101C	6100g x 0.1g	2,900.00
VP8101C	8100g x 0.1g	3,150.00

VOYAGER® PRO ACCESSORIES

Item No.	Description	Suggested List (\$)
SF42	Compact Impact Printer, 42 Columns	n/a
88566746	Ohaus Collect Software	275.00
SW12W	YAL Software WinWedge	485.00
12101511	Paper for SF42 Printer (5 pack)	37.88
12101512	Ribbon for SF42 Printer	34.88
88566570	RS232 Cable, SF42 Printer to Voyager Pro	118.00
A5817-09	RS232 Cable, PC 9 Pin to Voyager Pro	118.00
A5817-02	RS232 Cable, PC 25 Pin to Voyager Pro	118.00
80850045	Density Determination Kit for Voyager Pro balances (0.1mg and 1mg)	685.00
80850042	In-Use Cover for Voyager Pro	55.00
479004-016	Security Device for Voyager Pro up to 8kg, MB45, MB35	210.00
5875-80	Aluminum Scoop, 1.5 in x 2 in (3.8 cm x 5.1 cm), weight 4g	15.00
5877-80	Gold Scoop, 2.25 in x 3 in (5.7 cm x 7.6 cm), weight 15g	15.00
4890-30	Black Scoop, aluminum 4 in x 3.5 in (10.2 cm x 8.9 cm), weight 24g	15.00

EXPLORER® PRO PRECISION BALANCES

The Industry's Most Easy To Use Balance

ISSCO

Ph.(02) 9743 2588

Fax.(02) 9736 2835

Capacities from 210g to 8100g, with Readability from 0.001g to 0.1g

- Large, brilliant display for easy reading under all lighting conditions
- Optional AutoCal™ automatic internal calibration for optimized weighing performance
- Feature-rich software for a wide variety of applications



Item No.	Description	Suggested List (\$)
EP213	Explorer Pro 210g x 0.001g with Draftshield	2,750.00
EP213C	Explorer Pro 210g x 0.001g with AutoCal & Draftshield	2,900.00
EP413	Explorer Pro 410g x 0.001g with Draftshield	2,900.00
EP413C	Explorer Pro 410g x 0.001g with AutoCal & Draftshield	3,050.00
EP613	Explorer Pro 610g x 0.001g with Draftshield	3,050.00
EP613C	Explorer Pro 610g x 0.001g with AutoCal & Draftshield	3,200.00
EP413D	Explorer Pro 100/410g x 0.001/0.01g with Draftshield	2,800.00
EP413DC	Explorer Pro 100/410g x 0.001/0.01g with AutoCal & Draftshield	3,050.00
EP612	Explorer Pro 610g x 0.01g	2,600.00
EP612C	Explorer Pro 610g x 0.01g with AutoCal	2,800.00
EP2102	Explorer Pro 2100g x 0.01g	2,700.00
EP2102C	Explorer Pro 2100g x 0.01g with AutoCal	2,900.00
EP4102	Explorer Pro 4100g x 0.01g	2,800.00
EP4102C	Explorer Pro 4100g x 0.01g with AutoCal	3,000.00
EP6102	Explorer Pro 6100g x 0.01g	3,200.00
EP6102C	Explorer Pro 6100g x 0.01g with AutoCal	3,300.00
EP4102D	Explorer Pro 1000/4100g x 0.01/0.1g	2,900.00
EP4102DC	Explorer Pro 1000/4100 x 0.01/0.1g with AutoCal	2,750.00
EP4101	Explorer Pro 4100g x 0.1g	2,900.00
EP4101C	Explorer Pro 4100g x 0.1g with AutoCal	2,750.00
EP6101	Explorer Pro 6100g x 0.1g	2,800.00
EP6101C	Explorer Pro 6100g x 0.1g with AutoCal	2,850.00
EP8101	Explorer Pro 8100g x 0.1g	2,800.00
EP8101C	Explorer Pro 8100g x 0.1g with AutoCal	3,100.00

EXPLORER® PRO HIGH CAPACITY BALANCES

The Industry's Most Easy To Use Balance

ISSCO

Ph.(02) 9743 2588

Fax.(02) 9736 2835



Capacities from 12000g to 32000g, with Readability to 0.1g

- Applications include Differential Weighing, Formulation Density Determination, Statistics, Parts Counting & Animal Weighing
- Optional AutoCal™ automatic internal calibration for optimized weighing performance
- Weigh Below Hook
- Large, brilliant display for easy reading under all lighting conditions

Item No.	Description	Suggested List (\$)
EP12001	Explorer Pro 12000g x 0.1g	4,400.00
EP12001C	Explorer Pro 12000g x 0.1g with AutoCal	4,600.00
EP22001	Explorer Pro 22000g x 0.1g	4,600.00
EP22001C	Explorer Pro 22000g x 0.1g with AutoCal	4,800.00
EP32001	Explorer Pro 32000g x 0.1g	4,800.00
EP32001C	Explorer Pro 32000g x 0.1g with AutoCal	5,100.00

EXPLORER® PRO ACCESSORIES

Item No.	Description	Suggested List (\$)
SF42	Compact Impact Printer, 42 Column	n/a
80500746	Chaus Collect Software	275.00
SW12W	TAL Software WinWedge	495.00
12101511	Paper for SF42 Printer (5 pack)	37.00
12101512	Ribbon for SF42 Printer	24.00
80504570	RS232 Cable, SF42 Printer to Explorer Pro	110.00
A3017-02	RS232 Cable, PC 25 Pin to Explorer Pro	110.00
7628-01	Security Device for Explorer Pro balances 12, 22 & 32 kg	62.00
8055042	In-Use Cover for Explorer Pro	35.00

ADVENTURER™ PRO PRECISION BALANCES

The Most Complete Balance In Its Class

ISSCO

Ph.(02) 9743 2588

Fax.(02) 9736 2835



Capacities of 51g to 8100g, with Readability from 0.001g to 0.1g

- SmartText™ software easily guides users through applications
- QuadraStance™ design for superior stability
- Options include InCal™ internal calibration, factory installed USB or second RS232, and NTEP Certified Models

Item No.	Description	Suggested List (\$)
AV53	51g x 0.001g with 3.5 in High Round Draftshield	1,200.00
AV213	210g x 0.001g with 5.25 in High Square Draftshield	1,800.00
AV213C	210g x 0.001g InCal & 5.25" High Square Draftshield	2,100.00
AV212	210g x 0.01g	1,000.00
AV212C	210g x 0.01g with InCal	1,300.00
AV412	410g x 0.01g	1,100.00
AV412C	410g x 0.01g with InCal	1,400.00
AV413	410g x 0.001g	1,900.00
AV413C	410g x 0.001g with InCal	2,200.00
AV812	810g x 0.01g	1,300.00
AV812C	810g x 0.01g with InCal	1,600.00
AV2162	2100g x 0.01g	2,100.00
AV2162C	2100g x 0.01g with InCal	2,400.00
AV4162	4100g x 0.01g	2,200.00
AV4162C	4100g x 0.01g with InCal	2,500.00
AV2101	2100g x 0.1g	1,800.00
AV2101C	2100g x 0.1g with InCal	1,300.00
AV4101	4100g x 0.1g	1,100.00
AV4101C	4100g x 0.1g with InCal	1,400.00
AV8101	8100g x 0.1g	1,200.00
AV8101C	8100g x 0.1g with InCal	1,600.00

ADVENTURER™ PRO ACCESSORIES

Item No.	Description	Suggested List (\$)
SF42	Compact Impact Printer, 42 Column	n/a
80500746	Chaus Collect Software	275.00
SW12W	TAL Software WinWedge	495.00
12101511	Paper for SF42 Printer (5 pack)	37.00
12101512	Ribbon for SF42 Printer	24.00
80504571	RS232 Cable, SF42 Printer to Adventurer Pro	110.00
80504524	RS232 Cable, PC 25 Pin to Adventurer Pro	110.00
80504525	RS232 Cable, PC 9 Pin to Adventurer Pro	110.00
80504545	Density Determination Kit for Adventurer Pro (0.1mg & 1mg) except AV53	895.00
7628-01	Security Device for Adventurer Pro	62.00
12103986	In-Use Cover for Adventurer Pro (small housing)	25.00
12103979	In-Use Cover for Adventurer Pro (large housing)	25.00

PIONEER™ PRECISION BALANCES

The Best Balance For Basic Weighing

ISSCO

Ph. (02) 9743 2588

Fax. (02) 9736 2835



Capacities from 150g to 4100g, with Readability from 0.001g to 0.1g

• Weighing, Counting and Percentage Weighing Modes

• RS232 for data connectivity

Item No.	Description	Suggested
		List (\$)
PA213	210g x 0.001g	1,100.00
PA213C	210g x 0.001g with int cal	1,350.00
PA413	410g x 0.001g	1,300.00
PA413C	410g x 0.001g with int cal	1,550.00
PA512	510g x 0.01g	1,100.00
PA512C	510g x 0.01g with int cal	1,350.00
PA2102	2100g x 0.01g	1,200.00
PA2102C	2100g x 0.01g with int cal	1,450.00
PA4102	4100g x 0.01g	1,400.00
PA4102C	4100g x 0.01g with int cal	1,650.00
PA4101	4100g x 0.1g	1,100.00
PA4101C	4100g x 0.1g with int cal	1,350.00

PIONEER™ ACCESSORIES

Item No.	Description	Suggested
		List (\$)
SF42	Compact Impact Printer, 42 Columns	nil
80500746	Ohaus Collect Software	275.00
SW12W	TAL Software WinWedge	485.00
12101511	Paper for SF42 Printer (5 pack)	37.00
12101512	Ribbon for SF42 Printer	34.00
80500571	RS232 Cable, SF42 Printer to Pioneer	110.00
80500525	RS232 Cable, PC 9 Pin to Pioneer	110.00
80500524	RS232 Cable, PC 25 Pin to Pioneer	110.00
PA07	Auxiliary Display Kit for Pioneer	90.00
8050045	Density Determination Kit for Pioneer balances (1mg)	695.00
70288-01	Security Device for Pioneer	62.00
5078-00	Aluminum Scoop, 1.5 in x 2 in (3.8 cm x 5.1 cm), weight 4g	15.00
5077-00	Gold Scoop, 2.25 in x 3 in (5.7 cm x 7.6 cm), weight 10g	15.00
4590-30	Black Scoop, aluminum 4 in x 3.5 in (10.2 cm x 8.9 cm), weight 24g	15.00